

# AVIATION

JULY 31, 1922

Issued Weekly

PRICE 10 CENTS



U. S. Naval Academy, Annapolis, Md.


VOLUME XIII  
Number 5

## SPECIAL FEATURES

M.L.T. GLIDER AT FRENCH COMPETITION  
AN EXPLANATION OF SOARING FLIGHT  
AFRICAN CRUISE OF A ZEPPELIN  
NEW WRIGHT AERO ENGINES

Four  
Dollars  
a Year

THE GARDNER, MOFFAT CO., Inc.  
HIGHLAND, N. Y.  
225 FOURTH AVENUE, NEW YORK



MODEL 4257

## Freedom From Vibration

A Packard Aircraft Engine in flight is as smooth and flexible as a Twin-Six on the roadway below. Its perfectly balanced design provides an even flow of power, closely approaching that of a turbine.

PACKARD MOTOR CAR COMPANY, DETROIT, U. S. A.



# PACKARD

*Ask the man who flies one*

## Widely Known and Famous

**Aeromarine**  
EST. 1914

There has been firmly established throughout the country an active and intense allegiance to the AEROMARINE name and the excellence of AEROMARINE FLYING BOATS.

Underlying it and stimulating it is the wonderful record of their performance; the charm of their travel; the ease with which they handle; and lastly, the superb reliability and economy with which they serve.

We offer to discriminating buyers a limited number of the famous AEROMARINE NAVY H.S. LIBERTY ENGINED FLYING BOATS at prices as low as quality, performance and prestige will allow - Write for illustrated, descriptive pamphlet and booklet "What They Say about the Aeromarine Flying Boat Service."

**Aeromarine Engineering and Sales Co.**

1800 Times Building, New York

And see us on the great Lakes between Cleveland and Detroit the "Black Duff" flying boats of the Aeromarine Airways are operating daily adding more prestige to the Aeromarine name and helping service ships along in their transportation.

# Power!

Steady, reliable, unfailing power means better performance, greater efficiency, real economy and maximum safety.

That is why CURTISS Orioles, Seagulls, and C-6 Standards are powered with the CURTISS C-6 motor.

Simple in design, easily accessible, CURTISS built, the C-6 motor has proven itself a worthy relative to the famous Curtiss OX-5.

The same CURTISS qualities which have made the OX-5 unquestionably the most dependable aeronautical motor in America have made the C-6 its only competitor for this coveted reputation.

Operating equally well from Airdromes 7500 feet in the Rockies or on the Seashore, the C-6 motor has, in its short three years of existence, proven its real worth under most severe conditions.

An electrically started commercial motor, scientifically developed by Curtiss since the war.

For that "Grand and glorious feeling" in the air - Curtiss planes - Curtiss motors.



The CURTISS C-6  
Aeroengine Motor

Power	Single-cylinder in line, overhead valve, 1700
Rated Horse Power	175 H.P. at 1750 R.P.M.
Ignition	Five, high tension, 4 cylinder magneto
Cooling	Water-cooled pump.
Oiling	Pressure feed
Piston	Four and one-half inches
Stroke	Five inches
Oil Consumption	4.50 lbs. per Hour, Seven Power Hour at 1750 R.P.M.
Oil Consumption	4.50 lbs. per Hour, Seven Power Hour at 1750 R.P.M.
Valves	Five intake, two exhaust, per cylinder
Carburetor	Double Venturi dual Carburetor
Weight	Motor without oil or water 447 lbs.
Installation	
Dimensions	
	Overall length 40 1/2" (40")
	Overall width 40 1/2" (40")
	Overall depth 40 1/2" (40")
	Weight of fuel 40 1/2" (40")
	Weight from fuel 40 1/2" (40")
	Weight from fuel 40 1/2" (40")
Equipment	Full, shipping box
Extra Equipment	Other parts on special order

# Curtiss

CURTISS AIRCRAFT  
AND MOTOR CORPORATION  
Garden City, Long Island, New York

JULY 31, 1922

# AVIATION

VOL. XIII, NO. 5

Member of the Audit Bureau of Circulations

## CONTENTS

Editorials	119	The Chicago Flying Meet	128
E.L.T. Orders at French Competition	120	Airport at Wala Wala	128
An Experiment in Seawing Flight	121	O. B. Sullivan Team Solo	129
Night Air Mail Planned	122	New Cash Proof Tank	129
Run to London Flight Completed	123	The Detroit Aviation Meet	129
New Wright Engines for Naval Aviation	124	Goodyear Gets Large Contract	130
Pushing Records	125	American Aviation Forging Ahead	130
Air Service Develops Airway Programs	126	Warning to Aviation	130
The African Cruise of Seaplane L59	127	Army and Navy Air News	131
Automotive Report Campaign	128	Coupling Aeronautical Events	132
Safety Record of Air Mail	129	Foreign News	134
Trade Notes	130		

THE GARDNER, MORTAT COMPANY, Inc., Publishers

HIGHLAND, N. Y.  
225 FOURTH AVENUE, NEW YORK

Subscription price: Four dollars per year, single copies ten cents. Canada, five dollars. Foreign, six dollars a year. Copyright 1922, by the Gardner, Mortat Company, Inc.

Issued every Monday. From time to time previously. Entered as second-class matter Nov. 22, 1920, at the Post Office at Highland, N. Y., under act of March 3, 1979.


THOMAS-MORSE AIRCRAFT CORPORATION

CONTRACTORS TO U. S. GOVERNMENT

ITHACA,



NEW YORK



CHARACTERISTICS

Wright D-1	Wright D-1
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150
Weight (incl. fuel, oil, etc.)	2,100 lbs.
HP at 1,500 ft. (incl. prop. & P.M. & accessories)	150

## AN AMERICAN DEVELOPMENT IN LARGE BORE AIRCRAFT ENGINES

The Wright D-1 is a distinctive American engine developed for the propulsion of lighter than air machines, recently completed for the U. S. Navy Department.

This is the largest heavy

duty aircraft engine developed to date and is designed particularly for use on ships of the Zeppelin type.

The D-1 marks a very high engineering point of achievement in lighter than air aeronautical propulsion.

# WRIGHT

## AERONAUTICAL CORPORATION

PATERSON, NEW JERSEY, U. S. A.

J. D. CAMBER  
PRESIDENT  
W. D. MORTON  
VICE-PRESIDENT  
W. I. DOWMAN  
TREASURER  
CHAS. H. HAYWARD  
BUSINESS MANAGER  
Vol. XIX

# AVIATION

JULY 25, 1922

LEONARD O'NEILL  
EDITOR  
VICTOR E. CLARK  
LAWRENCE F. WATSON  
RALPH H. LINDEN  
CONTRIBUTING EDITOR

No. 5

### The Night Air Mail

THE announcement by the Post Office Department that it expects to put night service in operation on the transcontinental air mail route before the end of the present fiscal year, that is, before June 30, 1923, is a step in the right direction for developing commercial aviation.

Those who have studied the various problems underlying civil air transport are agreed that its greatest immediate utility is to be expected, first, from long distance routes, and second, from day and night flying. These two factors are mutually interrelated, for the long distance routes in question are as a rule the ones which necessitate night flying if the service is to afford all the advantages of speed currently under open air access.

The organization of airways for night flying is a complex problem, and the Air Mail Service is to be congratulated for the serious, conservative manner in which they are tackling it, taking every precaution to make night flying as safe as possible rather than rushing to be the first to fly by night.

The Penn-Louisiana airway is now equipped for night flying, and some experimental night flights have successfully been accomplished—but that route is only 240 miles long as against the 2650 miles of our transcontinental airway, which is furthermore handicapped by some serious natural obstacles, such as the Alleghenies and the Rocky Mountains. It is estimated that for the New York-San Francisco airway emergency landing fields equipped with powerful beacons will be needed every 30 miles, which means that there will be forty-eight landing stations of one kind or another on this route. From the magnitude of the enterprise may be grasped.

The splendid record of safety achieved by the Air Mail Service during the past twelve months—in which it carried 61,000,000 letters over a total distance of 1,750,000 miles without a single fatal accident and defuncted only 7½ per cent of its scheduled trips—to a brief that when night flying will be inaugurated on the New York to San Francisco airway, it will be operated with the same regard for safety and efficiency which has made the American Air Mail justify its name throughout the world.

### Air Transport

AN interesting case of so called air transport has recently come before the courts of Pennsylvania. Some gypsy fairs rented a tract of land which they used for a flying field. The owner of the adjoining farm objected to the noise of the airplanes flying over his property and brought an action for trespass. The justice of the Peace fined the violators \$1.00 each. A few days later the decision was reversed by a judge who held that, as the airplane had not set foot on the complainant's ground, they had not violated the existing trespass law. It was also declared that there was no trespass law in Pennsylvania under which action could be had.

The question of the ownership of the air, while never fully settled in this country seems to be chosen from common usage. Every owner of rights of property have been established the use of the air by birds, bees and carrier pigeons, regardless of their ownership, has not been questioned. Even polluting the air by chemical plants has been permitted. Now, radio is establishing another precedent by using the air for different classes of wave lengths.

"Who owns the Air?" is a question that has been discussed from many points of view. While the unobstructed and peaceful use of the air has always rested in the event of land, the right of tenancy has never been extended to prevent the use of the air above property. No owner of land has ever succeeded in the public from looking or hearing through the air above his property and the very mention of this prohibition sounds absurd.

The Convention for the Regulation of Air Navigation is signed by the United States and generally all the leading nations of the world states under "General Principles": "The high contracting Parties recognize that every Power has complete and exclusive sovereignty over the air above its territory." While this may apply only to international relations, it is obvious that the regulations for the use of the air must rest in the federal government alone.

The right of eminent domain has long been the method of acquiring for public use, rights of way and land for any public enterprise in such manner that legal quibbling may cloud the broad issue, it will always be possible for the government to obtain control of the air "Free as the air" is no longer a maxim but is becoming a reality asserted by law.

The use has always been free. A leading legal authority has stated "The use is so universal which belongs to all men like the air."

It will be unfortunate if a case involving exhibition flying, where some of planes and the masses from crowds brings in the question of local police power is used to influence public sentiment about the fundamental freedom of the right of way through the air for commercial air transportation.


### Continuing Airmanship Development

IT is gratifying to learn that the Army Air Service has placed with the industry an order for six airplanes designed to be filled with helium. While five of these ships will merely be enlarged versions of the standard two-engine types, to compensate for the difference in lifting power between hydrogen and helium, the sixth ship will be of an entirely new type, of fairly large size and embodying several principles of construction.

As the latter model is absolutely designed to be an experimental airplane carrying troops, it will be seen that the Air Service is consistently carrying out its program of engineering no phase of aviation which may be useful to national defense.

# M.I.T. Gliders at French Competition

American Team Sails with Two Machines Entered in French Gliding Competition at Puy-de-Combrage



Views of the American entries in the French gliding competition. Figs. 1 and 2—M.I.T. glider No. 1, uncovered, Fig. 3—the same, covered, Fig. 4—glider of the M.I.T. glider No. 2

American engineers will be actively represented at the Experimental Congress of Aerobatic Flight which the French Aeronautics and the Aero Club of America will jointly hold from Aug. 1-10, next, at the Puy-de-Combrage, near Clermont-Ferrand, France. Two gliders built by the Aeronautical Engineering Society of the Massachusetts Institute of Technology have been entered in the French competition, and are now on their way to France. Inquiries with the American gliding team, composed of Edward T. Allen, age 26, of Chicago; Harry C. Karpman, age 39, of Mansfield, Ohio; and Otto C. Koppes, age 24, of Massachusetts, N. Y. Mr. Allen, who was famous as a test pilot for the Army Air Service at McCook Field, Dayton, Ohio, is the pilot. The chief designing work, with the assistance of the Aeronautical Society, was done by Mr. Koppes, while Mr. Karpman had charge of the practical construction of the glider.

Messrs. Allen, Karpman and Koppes constructed a glider at the M.I.T. laboratories and, as has been reported before in *Aviation*, on June 15, Mr. Allen took it to a 56-ft. elevation at Inwood, Mass. He rose in a fifteen mile head wind. Altogether five successful flights were made. The velocity of the wind was such that the machine hovered practically the entire time. It reached a maximum elevation of 20 ft. and advanced a maximum distance, in one flight, of 200 ft.

As the result of these trials the French engineers designed, with the assistance of other members of the Aeronautical Engineering Society of M.I.T., a second glider, which resembles some of the machines entered in the operations of the French machine. M.I.T. glider No. 2, which is shown above in elevation form, is 24 ft. in span, 18 ft. in overall length, and weighs 80 lb. The safety factor is 4. The new machine embodies some features novel in glider construction, such as

legs extending the entire span of the wings, whereby the center can be decreased or increased at will by the pilot, and a very effective type of rudder control which it is not considered advisable to describe at the present time.

As may be seen from the above illustration, Glider No. 1 is much better streamlined than No. 1, and more ample and rounded surfaces are provided for. The landing gear is also of a novel and interesting type.

According to our contemporary *Los Angeles*, these two gliders are entries in the competitions on June 15, one month before the closing date, and it was then expected that several aircraft manufacturers would enter machines in the last account. According to the latest advice from the organizers of the meeting, the following new entries have been received in addition to the entries listed in the June 12 issue of *Aviation*:

- |                        |                         |
|------------------------|-------------------------|
| 17. Gustave Thorensen. | 29. Margolin Griffiths. |
| 18. Ernest Montagne.   | 30. Louis Leblond.      |
| 19. Fernand Fylen.     | 31. Pierre Vial.        |
| 20. Jean Grunin.       | 32. J.P. Treda.         |
| 21. J. Kell.           | 33. Louis Bredet.       |
| 22. Maurice Semet.     | 34. Georges Julien.     |
| 23. Henry Poles.       | 35. Maurice Aubert.     |
| 24. Georges Sidhan.    | 36. Jules Carr.         |
| 25. P. O. Dabbs.       | 37. Delangeur Fyren.    |
| 26. Louis Fyren.       | 38. Robert Leblond.     |
| 27. Axel Valerio.      | 39. M.I.T.              |
| 28. Elton Benaresen.   | 40. Louis Chénard.      |

Of the first thirty-five entries twenty-two are gliders, nine are aerobics, or flying machines, and one is a "barncopter" helicopter. Particulars of these machines will be given in a subsequent issue of *Aviation*.

# An Explanation of Soaring Flight

Condensed Outline of a Series of Lectures Delivered before the Northwest Aeronautical Society, Seattle, Wash.

By J. F. Miller

For many years writers on the subject of bird flight assumed that because the bones of birds were hollow, they were lifted up, thereby making the bird lighter than air, so that it floated in the air very much as a balloon floats. Although the theory was accepted for many years, a little thought fully proved the absurdity of it.

Another theory advanced some fifty years ago was that birds use the power through an almost invisible covering of their bodies to render themselves lightly self-propelled. It is rather strange to note that this belief is even yet advanced by some scientific investigators.

## The Theory of Ascending Currents

One of the early theories that still prevails and finds many adherents is the theory of ascending currents of air. Since this belief is quite general among students of bird flight, and is accepted by many eminent investigators, it seems necessary to discuss it at some length.

Anyone who has taken a journey by water along the coast of North America could not have been impressed with the strong flight of the common seagull (*Larus glaucus*).



Figure 1

They could frequently follow ships for many miles, making the greater part of the journey. This performance has been explained by the adherents of the ascending air theory by the statement that the best from the vessel causes rising currents of air. If this be accepted as a true explanation, then it would mean that we should attempt to explain why these birds do not fly above and aloft of the vessels of the steamer. Also how they would follow the vessels of the steamer.

It has been stated further that vultures and hawks frequently open country in the summer time because the heated air over such country rises in a continual flow. It has been the writer's observation that such birds are usually to be found over the water or the land, and not over the water. It is so generally to be expected that such currents in the air are found only in regions of ascending air currents. It is also probable that these birds are at very great heights. This doctrine is that in the bird's attempt to rise above the ascending currents rising from the heated areas below.

Again, one of the best sources in the literature. This bird is usually over observed to flap its wings, and yet it will follow a ship for days across the ocean, regardless of the speed of the ship. It would seem that the adherence of the theory of ascending air currents would lead to explain how such currents could be possible over any particular portion of the ocean which might be absent at random.

Particularly if we accept the theory of ascending air currents we must not overlook the fact that air will flow upward because it is lighter than the body of air immediately surrounding it, or because it is deflected upward by an obstruction. If the upward flow is due to heavier air surrounding the rising column, then a heavier-than-air machine entering such an upward flow would immediately descend, due to the

lower density. Any pilot who has flown over land or mountainous country can testify to the fact that a plane on soaring such a region will just gradually sink if it has gained sufficient speed to again obtain its former lift.

## Other Theories

If a vertically ascending column of air is to serve any purpose in lifting the airplane it can do so in one of two ways, either by flowing upward with such velocity that it forces the plane up dynamically, or by virtue of the fact that the plane would need to be lighter than the air itself and would then be lifted upward. Neither of these conditions exist.



Figure 2

If the air is deflected upward, due to encountering an obstruction in its path, then its upward trend is at a comparatively small angle with the horizon. The effect on a plane rising with a flow of air would be a tendency to stall, due to the fact that if it were flying at its best angle of incidence the upward trend of the air would increase the angle of incidence appreciably, and up to the stalling point would increase the lift, but upon passing the stalling point or point of maximum lift, or any point 15 deg. angle of incidence, the plane would promptly stall. This being the case it would be necessary to nose down. It would mean that some other explanation of soaring flight would be necessary.

It was the writer's privilege to construct machines more than twenty-five years ago from the data derived by Professor Langley and he is of the opinion that Langley's work on the internal work of the wing is the true explanation of soaring flight when taken in connection with the conditions for stability of an airplane in flight. Most attempts to explain a means by which soaring flight can be accomplished include a large dose of inherent stability. This is fundamentally wrong and can easily be shown to show its own purpose.

I will attempt to show here how soaring flight is accomplished, how simple it is, and how difficult it becomes when inherent stability is made the common basis.

## A Simple Example

Let us first investigate some of the common forms of locomotion provided by nature. Take for example a man walking.



Figure 3

It would be difficult to conceive of a more unstable condition than this. The center of gravity of the body is high above the point of support and it is only for a very brief space of time (if at all) that this point of support is directly under the center of gravity. Reference to Fig. 3 will make this clear. The lower portion of the body is the center of gravity. C is the center of gravity, while P is the point of




Figure 4

support. Thus it will be seen that in describing the center of gravity as an advance of the point of support  $P$ ,  $A$  is the path of the center of gravity. Were  $C$  to remain vertically above  $P$ , the body would be stable, but no motion would take place so long as this condition remained undisturbed.

In the upper portion of the figure is shown the path were in which  $A$  is the path described by the center of gravity  $C$ , while  $P$  is the point of support. It will thus be seen that in sailing there is no position where the body is in stable equilibrium.

#### Another Example

In Fig. 5 is shown to plan the path of the center of gravity of the body of a shalae. As before  $A$  represents the path of the center of gravity of the body.  $G$  is the mark of shales, or the level of the water of support. From the diagram it will be noted that in each state of the shales there is one point of equilibrium, viz. at the point where the path of the center of gravity crosses the shales mark. At this point, however, the inertia of the body carries the weight beyond the point of equilibrium and the shales turn away from the falling body, thus placing the system of forces in a very unstable position.

As all students know, it is a very simple matter to state without lifting either foot from the air. To one who is acquainted with the art of skating this would be scarcely baffling. It would be no longer for such an individual to look for some mysterious force in the shales, or to assume that this manner of skating was due to a downward inclination of the air, as it is to attempt to explain level flight by an aerodynamic theory or by a belief in ascending air currents.

One of the most remarkable circumstances in the growth of civilization has always been man's propensity to attempt to explain what he does not understand, in some mysterious and highly unscientific manner. After wandering along for a period of time in this way he gradually begins to study and experiment, ultimately arriving at the correct solution. After having grasped the correct solution he sets back and consequently marvels at the simplicity of it. Then it seems that the many unsuccessful attempts to explain soaring flight is surely history in the act of repeating itself.

In the present instance it is not necessary to look for new or unknown forces or processes. We can solve our problem

in a simple and direct manner, making use of well understood and basic known laws.

In Fig. 3 is shown a ball at point  $A$  in motion down an inclined plane  $PQ$ .  $G$  is an arc through the center of gravity  $X$ .  $P$  is the point of support. Since  $X$  is shown in advance of  $P$ , the force of gravity will produce motion downward and toward the right. The momentum thus acquired would carry the ball to  $B$ . However, when the ball is at  $B$  and still moving, if the inclined plane be suddenly and oppositely moved toward the left, a diagram  $C$ , the ball will be forced to position  $D$  or through a vertical height  $h$ , which is a distance a higher than it originally started from. The distance  $h$  represents the loss in height (potential energy loss) due to air and frictional resistance, while  $h$  is the energy or head imparted to the ball, or consumed in moving the inclined plane toward the left. The distance  $h$  represents the horizontal distance the ball would have traveled from  $C$  to  $E$  under its own momentum had no action of the inclined plane taken place.

Note that in position  $C$  the center of gravity is at the left of the point  $P$  and the ball is in an unstable position. Were it stable at this point motion would take place toward the left. In moving from position  $D$  to position  $E$  the ball has passed through a position of stable equilibrium and only its momentum carries it toward the right. In position  $D$  the ball is in equilibrium, and no further action would take place unless some condition here prevailing be disturbed by some external force.

#### The Mechanism of Soaring Flight

Let us now calculate the ball's soaring machine and for the inclined plane  $PQ$  a homogeneous body of soft air. In Fig. 4, if the center of gravity  $X$  of the machine is in advance of the center of pressure  $P$ , it will glide downward and reach the point  $B$  with considerable momentum. If at point  $B$  the center of gravity and center of pressure be adjusted the machine will "come up" and its momentum will carry it to position  $D$ .

If, however, while the machine is at some point  $C$ , a wind current at the opposite direction (or toward the left) strike it, it will be lifted through the height  $h$ , and its momentum will carry it to  $D$ . If, when the machine has reached  $D$ , the wind cease and at the same time the center of gravity be shifted ahead of the center of pressure, a forward glide will

again take place. It is shown that if at any point along the path of the upward glide the machine be moved down, it will glide downward and forward even though the wind ceases to blow. It should be noted that if the center of gravity be in the vertical plane through the center of pressure, a forward motion would take place at  $D$  and the machine would pass over; or if the wind continued it would be blown backward.

It thus appears that the complex flow of the air, aided by frictional tendency the "internal work" of the wind in its attempt to moving flight. However it must not be forgotten that even though the wind blow with great regularity a still process kinetic energy which can be utilized for the correct manipulation of a properly designed machine. It is only necessary to move down at any point in an upward glide and then gain speed relative to the flow of air.

#### Practical Soaring

In Fig. 6 a soaring machine at  $A$ , at a distance  $X$  above the ground, is moving forward into the wind and would land at  $Z$ . At  $C$  the controls are manipulated to raise the machine in one way slowly bringing it to point  $D$ . Assuming that it has a properly selected aeroidal and that the machine has not been placed in a stable position, the increase in the angle of incidence will increase the lift factor thereby that it will increase the drag. The machine will then be lifted to  $D$  and will reach a new position of equilibrium at  $D$ . At  $D$  the machine passes through a position of stability in the process of moving down and would pass over to  $E$  if not placed at a downward inclination. This downward inclination will carry it to a new position  $W$ . However, if the controls be moved to rise up at  $D$ , it would be carried to  $E$  at a height  $Z$  above the starting point.

If now we shorten the horizontal distance of the glide until it becomes sufficiently small, and at the same time the center of gravity of the machine far enough in advance of the center of pressure so that the forward component of the force vector along the path of flight just equals the drag and momentum will be lifted vertically, but will not advance. In other words, it will merely drift upward in exactly the same way as a kite is lifted. Thus it will be seen that by shortening the horizontal distance of the glide, and at the same time placing the center of gravity in the correct position relative to the center of pressure, a soaring machine can be made to sink and at the same time advance into the wind. It is possible to calculate with considerable accuracy the rate of descent then attained.

It is especially noticeable that a position of stable stability is to be avoided and that in order to soar successfully a machine must not have inherent stable stability.

There has been no attempt to explain the process of soaring with the wind. In general, however, it may be said that the long continued soaring flight with the wind at one's back is very difficult but not impossible.

#### Night Air Mail Planned

Several Assistant Postmaster General Paul Hefner reports to have, within the next fiscal year, night aerial mail service in operation on the trans-continental air mail route, either between New York and Chicago, or between Chicago and Cheyenne. The Chicago-New York run is regarded as the strategic line to advance the mail service in connection with the reason of geographical difficulties, it may be decided to make the night run from Cheyenne to Cheyenne. The great advantage is large human interests in expediting the trans-continental mail service.

On June 26, Joseph B. Mayer, a special agent of the Air Mail Service, has been engaged in making a survey of the route and the proposed equipment, and is now preparing an extensive report on his findings. It is expected that the report upon the Second Assistant in that night flying shall be made approximately as early as July 1st. The plan for the night and contemplation the establishment of a brilliantly lighted

landing fields at the air terminals, situated about 200 miles apart. There are to be powerful beacons every twenty-five miles, so that the pilot may pick up one after the other on his route. At each beacon, there is to be an emergency landing field, and to be equipped as the air terminal, but to be used should a forced landing become necessary.

A big electric company is engaged in planning the illumination



A mysterious person which appeared in a recent issue of "Punch," the English humorous weekly.


tion of the air terminals, with the idea of making the landing fields as light as day. This is a big problem in itself, as it is necessary to eliminate shadows, giving the pilot a daylight perspective of the landing field. Plans must be worked out for the equipment of the planes with powerful lights to be used in making landings. An exhaustive study is being made of the different types of lamps, that the one most suited to this work may be adopted.

The institution of the night mail is predicted upon the expectation that the cost of the extra equipment will come within the appropriation for the Air Mail Service. If it does, there is no question but that the service will be inaugurated within the coming year.

#### Lisbon-Rio Flight Completed

After having come to grief twice, through shifting in a very rough sea, the Portuguese naval aviator Comdr. Sandoval Cabral and Capt. Gago Coutinho have at last succeeded in reaching the South American mainland, on the third Funchal (Madeira) (Lisbon-Rio) flight. They were met by the Portuguese naval aviator Comdr. Sandoval Cabral, at the morning of June 3, just before 8:45 a. m. they arrived at Pernambuco, Brazil, at noon on the same day, and made a safe landing. The aviators were given a rousing reception by the population and military authorities were arranged in their honor by the municipality of Pernambuco.

On June 17 the fleet reached Rio de Janeiro, their goal.




Rear

# New Wright Engines for Naval Aviation

Wright Model E2 Passes 250 hr. Test -- New Model T2  
525 hp. Heavy Duty Engine Passes Navy's 50-hr. Test

The Navy Department has in a quiet way done a considerable amount of development work on aircraft engines during the past two years. An interesting evidence of this is the recent completion of test of 250 hr. on a Wright E2 engine. This engine was run for two periods of 120 hr. each. One hundred and twenty-five hours were continuous, 24 hr. a day, the only stops being those in each period due to gas-



Wright Model E2 250 hp. engine which recently made a 250 hr. test run for the Navy Department.

line shut off, trouble with oil radiator bearings, spark plug renewal and the necessary 300 club renewal, as part of the test was conducted in a noisy period.

## Transcendent Durability

This engine was run at a rated horse power of 160, and a rated speed of 1040 r.p.m. on standard sea-level conditions. While the results of the test are not for publication as yet, it is understood that the Navy Department is well pleased with the transcendent durability shown by the engine and it is also understood that the Wright company stands in good stead in future production engines several modifications of the standard E2 which were tried out during this test.

Representatives of the Wright Co. who observed the test are unanimous about the way the men of the Bureau of Aeronautics on duty at the Naval Air Station at Annapolis, D. C., handled the running of this very arduous bit of research work. One of the most interesting points in connection with this endurance test is that the connecting rod bearings, which were the weakest point in the original type E2, 125 hp. Niagara engines, from which the present engine was developed, ran for the full 250 hr. and showed no noticeable wear at that period, also that the valves which were regarded as being very delicate in the early engines were in such a condition at the end of the test that they would have undoubtedly run another full period of 125 hr.

## The Wright Model T2

Another result of the encouragement by the Naval Bureau of Aeronautics of independent development of aircraft engines is the development by the Wright Aeronautical Corp. of a new 12 cylinder engine, known as Model T2. This engine was designed to meet the Navy Department requirements, and has been built on Navy Department orders. It is designed for heavy-duty naval airplanes, whose long flights require great durability, and on account of the weight of gasoline necessary, the engine had to be economical in

possible. Notwithstanding these primary considerations, the engine, as developed, seems to have a wide range of application, owing to its low weight per horsepower.

Some of the T2's mechanical features are believed to be entirely new. These include a form of crankshaft, in which the crankshaft is held in the upper end by bearing caps, rather than by the upper and lower halves together, a form of cam box, which not only carries the camshaft and roller arms, but also forms a truss at the top of the cylinder. Integrated with each main line is an intake manifold, so designed that the carburetors may be placed either below the crankshaft or in the Vee. An open and cylinder drive construction and the use of aluminum bronze valve seats are also new features. The cylinders are cast of aluminum in a block of three, and a single cam box covers the six cylinders of a bank, as may be seen in the accompanying illustration. In order to give the reader an idea of the size of this engine, it should be noted that it is slightly shorter than the Liberty,



Wright Model T2 525 hp. engine built for heavy duty used airplanes in the order of the Navy Department.

and fits into the same bed between. The details of the engine itself are as follows:

Rated horsepower ..... 525 hp.  
Stroke ..... 16 in.  
Cylinder displacement ..... 1547 cu. in.  
Rated hp. per cu. in. .... 3.35 at 1800 r.p.m.

The engine is purposely somewhat overbuilt, in order to increase its ability to run 50 long periods, without decrease of power, and with a very low fuel consumption.

One of the interesting details of the engine is the cylinder construction. This provides for an aluminum crankcase in direct contact with the cooling water. A non-corrosive surface is provided for the piston by the use of an open end steel piston, which is fitted into the aluminum cylinder casting. The valves and spark plug bearings are seated in aluminum bronze rings which slide into the cylinder heads. This construction provides for adequate cooling for both these important parts, and is considerably different from that used in the standard Wright engines heretofore. The steel and steel cylinder stems were used. Four valves are used per cylinder. The valves are relieved at a small angle,

and are actuated by rocker arms directly from a single camshaft located in an overhead shaft. These shafts are carried on light steel tubes running parallel with the camshaft, which can be withdrawn from the end of the cam box, thus permitting the removal of the rocker arms. The adjustment of all of the valve operating mechanism is effected by oil carried under pressure in the rocker arm tubes. Guide pins are provided to return the oil to the crankcase.

Valve adjustment is taken care of by adjustment screws on the rocker arms, and in order to facilitate this adjustment, the cam box has a light two part top, which can be easily removed, enabling a mechanic to adjust all valves and inspect the roller arms, camshafts, bearings, etc. The design of the piston prevents no induced stresses. These compression rings cover the pin and a scraper ring on the skirt end, which the scraper type of piston pin, with bronze retaining rings, is provided. The inner and outer connecting rods have a similar end, the outer rod being fitted to hold a set type of connecting rod bearing. The bearing is a split one and is made of a new material, which does not require a ball bearing. The inner connecting rod bears directly on the outside of the bearing, and the bearing itself bears on the crankshaft. The crankshaft is a standard size, having 3 in. diameter main and crank pin bearings. Seven main bearings are used, the center and front bearings being very long. The propeller thrust is taken by a deep rear main bearing. The propeller end of the shaft is lubricated as it is lubricated a new design of lub. fitting. The shaft end is splined with standard splines. The drive is through the splines from the crankshaft to the propeller hub. The hub is constructed by a pair of tapered cones, one at each end of the splines.

## An Interesting Crankcase

Details of the crankcase are most interesting, as the design, which was first used in the Wright Niagara engine, provides an unusually neat and stiff order for carrying the crankshaft. The method of construction might almost be called a one piece crankcase, as the lower portion is only a bottom pan containing the sump and carrying the oil and water pump. The main housing, or in other words, the main pan, is a one piece casting. This method of construction makes it perfectly possible to remove the roller pan, which contains no mechanism for which any readjustment is required, and to inspect the main and connecting rod bearings without removing the engine from the airplane.

The drives for the magneto, camshaft, oil and water pump, as well as the cycloconverters, have been built out with a special reference to accessibility and ease of adjustment.

Not only are these drives arranged in a flat compact form, but provision is made for a generator or fuel pump drive in the Vee, and a large or diameter starter, or other auxiliary drive at the rear of the engine. Water is carried in the lower side of each bank of cylinders, through intake piping from the pump and is taken out of the propeller end of each cylinder head. The oil pump from the pressure pump through a large cylindrical strainer, and is fed to all parts of the engine under a pressure of 25 lb. per sq. in., the only parts lubricated by splash being the piston and wrist pins.

The engine is by two 52511 lighted magneto, one magneto firing all the inside plugs, and one outside. Two separate carburetors, of the latest Stromberg aviation type, are used. This engine, in conformity with the Navy Department's requirements, was built to run on standard domestic aviation gasoline. Furthermore, all parts, including spark plugs, crankcase bolts and oil strainer, are so placed as to be readily accessible and easily disassembled in the airplane.

The model T2 engine has recently been accepted by the Navy Department, after an official 50 hr. test, in which the engine developed an average of 500 hp. at 1800 r.p.m. During this test, the average fuel consumption was 35 in., and the average oil consumption 32 lb. per h. p. hr.

## Foolish Stunts

Between 2:30 and 4:00 p. m., July 19, while the hanging wreckage of the Manufacturers' Trust Co., Inc., 251 West 121st St., New York, was still giving forth an enormous volume of black smoke and loss of water were being poured into the building by the W. F. Post Department, an oil fire on the roof broke out and forth directly over the burning building, at about 1000 ft. above the roof tops. The grey ship, sharply silhouetted against the smoke and clouds of an approaching thunder storm, attracted the attention of the hundreds of spectators standing outside the fire line.

The wreckage over which the flying boat maneuvered, possibly in an attempt to take some striking air views of the fire, is located just west of 7th Ave. on 121st Street, and about one mile from the nearest river, the Hudson River. The pilot's head could occasionally be plainly seen outside the cockpit as the ship turned. Whether there were passengers aboard or not could not be seen.

A New York City ordinance wisely provides that aircraft flying over the city should maintain a minimum altitude of 2000 ft. Apparently there exists an agency for enforcing this rule, else we would not witness such a bold disregard for it.



Vincenzo A. Air Tanker about to be wheeled out of the Landing facility, 21st St. & Park Ave., New York--a feat made possible by special slides which, when raised, form a clear opening 48 ft. wide and 25 ft. high.







## Goodyear Gets Large Contract

The Goodyear Tire & Rubber Co. announces that it will shortly undertake the construction of the first semi-rigid airship ever built in this country. The order for the ship was received from the Army Air Service, which ordered six semi-rigid airships, the largest single order for lighter-than-air craft placed in the country by the Army since the war. All of the airships will be equipped and designed for use with the balloon gas.

The big semi-rigid ship, which is to be 300 ft. long with a gas capacity of 150,000 cu. ft., will also be the first built to be used as an airplane steerer. The ship, which was designed by Goodyear engineers in consultation with army engineers at McCook Field, will have a cruising radius of over 4000 miles at a speed of 44 1/2 m.p.h., and at 70 m.p.h. will have a flying range of 1630 miles. Two power cars and a navigational car will be attached to the aerial load of the ship. The envelope will be practically a single bag, divided by a diaphragm impervious through the middle. In cross-section it will resemble the general outline of a heart, placed upside down, with the point toward the rear. The first terminal is a cone-shaped structure at each end to hold the big bag in shape.

The five smaller semi-rigid ships also ordered by the Army, three will have bags of 50,000 cu. ft. capacity, mounted higher than the standard 100,000 cu. ft. hydrogen ships, to compensate for the difference in lifting power between hydrogen and helium. The two smaller ships of 100,000 cu. ft. capacity will be comparable with the 90,000 cu. ft. hydrogen steerable ships.

The five airships will be assembled at Wright Field Air Station, as will three Navy airships now nearing completion. The ship will be about 100 ft. long, 10 ft. high, and will be completed by October, 1933. It will be stationed at Scott Field, near Belleville, Ill., after delivery to the Army.

## American Aviation Forging Ahead

The official report of the Navy Department relative to America taking the lead in the development of torpedo planes was backed by astronomical reports as a further proof of the rapid advance toward complete superiority in aviation being made by this country.

"Due to the necessities of governmental secrecy it is to be regretted that the public cannot be more fully informed of the rapid and successful progress being made by the Navy Department and the Army Air Service in the development of aeroplanes," said Greiner C. Lemmon, President of the International Chamber of Commerce.

"Statistics compiled by the American Chamber of Commerce show that in the past few years the United States is advancing in all branches of aviation. Added to the Navy's advancements in the successful development of torpedo planes may be mentioned the successful development by the Navy Department of the extensive kind of various types of planes for dispatch use that have proved a great success."

The Army Air Service has perfected many new types of combat and bombing planes and the Army has actually perfected, for use in service, numerous new combat planes, details of which cannot be disclosed, which is far superior to anything in Europe. In addition to this, the Army Air Service, in order to stimulate the development of the highest class of gun-pilot planes, has placed certain blocks of money with several contractors for the fastest airplane in the world, which are being built around high powered motors that were designed and perfected by the engineers at McCook Field.

"Previously every world's record of air supremacy is held in this country. The world's record, which was held for years around a record, the world's airplane records, the world's endurance record, were all made by American pilots within the last few years."

"America has the fliers, the raw materials, the engineers and splendid government technical departments, that have all combined toward the aim of making this country supreme in aviation and the results achieved in a short year have surpassed every the most optimistic."

"The Air Mail Service is the greatest commercial air route operated anywhere, with a record not even approached by any European air line, of having flown 3,225,000 miles up to Jan. 1 of this year."

"Air parking by private owners of aircraft has been started in this country with great success. This is a branch of commercial aviation that is totally unknown in Europe. The chartering of airplanes and flying boats of several different types, for trips from New York and other large cities, to neighboring watering places, is becoming a daily occurrence and while there are in this country as yet no certified air routes, such as London to Paris, the reason that the flying boat operators in this country are not allowed when compared to the difficulties and tremendous expense of the London to Paris route."



Fig. 2. Possible combat plane of the U. S. Army—Fig. 2. Looking forward from the cockpit of the Yeager to which plane

Pearl must have led many experts in the conclusion that the superiority of commercial aviation in this country is far superior to anything in Europe. It appears to be a fact that a large number of the passengers on the European air lines are Americans.

"With the rapidly increasing number of American airlines it is inevitable to anticipate interest and cooperation of the Army and Navy. This country lacks two things—successful legislation as presented in the Washington Bill now before Congress and public support and confidence in air travel which is being greatly stimulated by the record and successful developments in all branches of American aviation."

## Warning to Aviators

The following warnings have been received from R. R. Rhyne, of Johnson and Rhyne, Average Adjusters and Insurance Brokers, New York. Mr. Rhyne is the organizer of the successful American Experimenters' League. "At High Hill Road, New York on September 1, I, one of the U. S. Coast Guard Station No. 87, there is a large plane, painted green, and displaying the number 87 in large red, painted white. The platform is surrounded with grass about 10 ft. high, which forms an apparently level surface about one-half mile wide and two miles long. From the air this would appear to be an ideal landing field, the same as in the number 87 may be watched for an identification marker, in reality this surface is an extremely sandy ground, and should be attempted to land there it would undoubtedly damage his machine."

Aviators would welcome it if trace of its readers would contribute information of this kind.

# ARMY AND NAVY AIR NEWS

## Air Service

**Long Cross-Country Flight Planned.**—General Patrick has authorized Lt. James H. Doolittle, A. 8, to make a non-stop cross-country flight from Jacksonville, Fla. to Rockwell Field, San Diego, Calif., a distance of approximately 1600 miles.

The plan is for the pilot to leave Jacksonville about August 1 in a modified DH-4 carrying about 13 lb. of gasoline and at Lieutenant Doolittle is now in Dayton, Ohio, conferring with the Air Service Engineers at McCook Field with a view of securing their approval of certain modifications on his ship before he starts on his transcontinental flight. Before embarking he will make a non-stop test flight from Florida to New Orleans and return. Lieutenant Doolittle is one of the best known and versatile Army pilots and holds several distance flight records, among them a trip of 1907 miles from Kelly Field, Tex. to Rockwell Field, Calif., which he made in 1919, his longest, and at a speed of 352 m.p.h. Recently to Captain Lieutenant Doolittle made a circuit flight from Kelly Field, Tex. to Panama, and Jacksonville, Fla., Langley Field, Va. and Bolling Field, D. C.

**Long Distance Flight for Airship A-8.**—Orders have been issued to fly the airship A-8 of the Army Air Service from Langley Field, Va. to Scott Field, Ill., the new base of the Airship School. The flight will be a distance of approximately 1100 miles. Lieut. A. C. Anderson, A. 8, will pilot the ship and make stops at Bolling Field, D. C.; Knoxville, Va. V., Akron and Fairhead, Ohio. Photographs and charts will be taken of possible landing places along the itinerary between those stations. The data secured on these will be made available for commercial enterprises.

The A-8 was used principally for training purposes by the students of the Airship School at Langley Field and will serve the same purpose at Scott Field. It is 123 ft. long, 39 ft. high, 51 ft. high and its capacity is 50,000 cu. ft. It is equipped with a Curtiss O-23 motor.

**More Ballison Composites on Inactive List.**—Orders issued by the Adjutant General leave only those enlisted men at March Field, Moffett Field and Rockwell Field who have not been four months in service on their current status. Those enlisted men with less than four months to serve will not be sent to France.

Ballison Com. 1 and 15 at Fort Field and the 18th Signal Battalion (Observation), stationed at Rockwell Field, San Diego, Calif., are placed on the inactive list. The personnel is to be distributed between Scott Field, Ill.; Panama and Langley Field, Va.

**Tennesses National Guard.**—The past two weeks have been unusually busy ones for the 138th Air Squadron Tennessee National Guard, despite many showers. The three 1918's have been most considerably. Four pilots have been flying quite frequently, and their work after the three years' lay off is very commendable.

**Three Fields on Permanent Military Post.**—Bolling Field, Andrews, D. C., and Scott Field, Belleville, Ill., have been announced as permanent military posts.

**Army Airmen Aid Flood Victims.**—Army pilots from Kelly Field did great work in aiding flood victims along the Rio Grande Valley, according to an official report received by the Chief of the Air Service covering the operations of the 3rd Group (Attack), Kelly Field, Tex., on this duty. In the daily patrol of the airplanes, stranded flood refugees were rescued from the flooded lands and food and clothing and official correspondence were carried between Fort Hancock, Camp McAllen, and Fort Brown. Officers and men with expert military duty to perform at any of these three army posts were furnished with the only possible means of transportation then remaining—the airplane. The condition of roads, rivers, roads, farm lands, houses and cattle were daily reported upon to the civilian authorities. Warnings to the people were given by means of drop messages. A total flying time of more than 50 hr. was spent in aerial reconnaissance over the region of Texas comprising Rio Grande City, Hidalgo, Brownsville, San Benito, Harlingen, Robertson, Lyford, Raymondville, Mercedes, San Juan and McAllen.

In less than three hours after an urgent request for assistance on the part of the Army Air Service was received from the civil authorities of the stricken border, three airplanes from Kelly Field were enroute to the scene of the flood. One of the pilots, Lieutenant Seiner, succeeded in reaching McAllen, Texas, the headquarters of operations, before darkness, after making a heavy rain storm. Lieutenant Raper and McCracken, the other two pilots, were cut off by the storm, made a forced landing at Laredo, Tex., but reached headquarters early next morning, when a plan of operations, after conference with the civil authorities of the flooded border was drawn up.

Representatives of the towns in the flooded area, in joint session, passed a resolution of appreciation to the Army Air Service for its promptness and efficiency in rendering assistance in this emergency.

**More Weather Bred the Airplane.**—Air Service pilots on duty with the 3rd Army Squadron, which received orders of temporary duty at Job, Santa Anthonysburg, Philippine Islands, have been bringing back interesting tales of how the natives act and what they think of the aerial activities in that province. Some have believed the airplane an enemy of the natives, others that they were afraid of the pilots are all-seeing and all-powerful, and still others that the plane is a dragon down out of the South Sea come to wreak dire vengeance on all bad Malays, according to an old Arabian tale. One of the natives, that General William Moore in the midst of Mindanao have never met a white man.

Capt. John L. Moore, A. 8, reports that while on a reconnaissance flight near Mindanao, in South Java, he was at a loss to account for a native who was riding along the highway, holding aloft in outstretched arms a small white stick, as if in supplication. Upon mentioning the fact later in Major Shepley, Commandant of the local Constabulary, that officer, serious board of similar incidents, stated that certain natives are authorized to carry banners or knives by written permit. Those who are apprehended with knives, but without permits, are severely punished. The native in question, who was carrying a banner, was holding his permit aloft for Captain Moore to read from. His plan, to fear that one of the Constabulary had been heard as much of might be dropped on his shoulders, or that the plane might swoop down upon him and confiscate his weapon.



## Foreign News

**Rumania.**—The Rumanian Government has at last decided on the importance of aviation from a national defense point of view, and considerable development has taken place recently in the military air service. Newer machines, mostly of the DH9 type, have been purchased from a British firm, and delivery has already been made of most of these, which are being distributed among the flying schools of the country.

Since that date a batch of ten airplanes of the Brandenburg type has been manufactured by the National Aircraft Factory, near Bucharest. These are the first native machines in Rumania, and their final tests have been entirely satisfactory. The cost price of these machines has been reduced to 265,000 lei with a 220 hp. engine, whereas if they had been ordered from abroad they would have cost at least one and a half million lei. The King was present at the baptism ceremony of this first batch of Rumanian airplanes, and the Metropolitan of Bucharest himself performed the ceremony.

In the matter of air aviation, the month of July is in no way the inauguration of the long-postponed Parlo-Bucarest passenger air service. For the wedding of Prince Marie and King Alexander of Yugoslavia, a special advance service was run in connection with this line from Budapest to Budapest. An airport, which should become one of the most important in Europe, is in course of construction on the plain of Buzias, two kilometers from the last residential quarter of Bucharest. Plans have been drawn up for the construction of a garden suburb complete with hotel and country club on this plain.

**Great Britain.**—The London terminal airlines at Croydon is beginning to look like a passenger way to a flying airport. Six air lines are now in possession of offices which include accommodation for waiting passengers, in the vicinity of the Customs House, and altogether the approach to the landing ground presents a most business-like appearance. The London-Paris service are being further expanded, while a secondary and alternative service, not yet arranged, between London-Edinburgh and Amsterdam. The new subordinated British service is now operating one machine each way daily between London and Brussels.

At a special air traffic meeting at the Royal Aero Club's third Croydon Aviation Meeting, recently held at Waddesley, there was better than anything of the kind since the war. A final program was striven through with fair punctuality, in spite of the interruptions due to the arrival of four or five machines with passengers from the continent.

**Russia.**—According to a Stockholm newspaper, General Lazarev, of the late Imperial Russian army, who held important commands during the war, has been appointed chief of the Russian air force. General Lazarev recently resigned in Russia and made his submission to the Soviet regime. His appointment strengthens the belief that Soviet Russia intends making a great effort toward reorganizing its air force on modern lines. In this connection it is interesting to note the paragraph devoted to aircraft in the text of the German-Russian secret treaty published by the London Daily Mail, which says: "In addition to those already supplied, the German Government intend to deliver at once as possible 500 more new airplanes of the latest type, with a corresponding number of spare parts."

**Argentina.**—From Dec. 17 to Jan. 16, the first month's operation of the air route from Buenos Aires to Montevideo, 113 passengers were carried and 30 cargo trips were made in addition to its regular bi-weekly service.

**Brazil.**—Two lines of aerial navigation under federal control are to be inaugurated Sept. 5, 1932, between Rio de Janeiro and Porto Alegre, capital of Rio Grande do Sul.

# Where to Fly

## CALIFORNIA

SAN FRANCISCO, CALIFORNIA  
EARL P. COOPER AIRPLANE & MOTOR CO.

## ALABAMA

PARTRIDGE, Inc.  
Aeronautical Instruction  
Aero. Club of Birmingham  
Birmingham, Ala.  
Write for Booklet  
201 S. Main St., Mobile, Ala.

## INDIANA

One of the largest and best equipped flying fields in the United States  
KOKOMO AVIATION CORP.  
Columbus, Indiana  
ALL TYPES OF CUSTOM PLANE

## MASSACHUSETTS

Lynn Field, 2 miles S. E. of Lynn  
All branches of Commercial Aviation  
Short Trips and efficient field service  
AMERICAN AIRCRAFT INC., Station F, Box 184, Boston, MA.

## MICHIGAN

AEROMARINE AIRWAYS, INC.  
1000 Grand Central  
MEMORIAL PARK & RIVER  
DETROIT  
11 Passenger Fleet Coaches

## MINNESOTA

WHITE BEAR LAKE, MINN.  
The Twin Cities' short season party  
Harold G. Peterson Aircraft Company  
SCHOOL OF AVIATION

## NEW JERSEY

NEW YORK NEW YORK AIR TERMINAL  
See Aeronautics & Flying from Times Square  
Largest and most complete flying field in New York  
CHAMBERLIN AIRCRAFT  
Hawthorne, N. Y.

## NEW YORK

CURTIS FIELD, GARDEN CITY, LONG ISLAND  
KINGSTON FIELD, BUFFALO, N. Y.  
LIVING STATION, ALBANY, N. Y.  
CURTIS AIRPLANE & MOTOR CORPORATION

## NEW YORK

AEROMARINE AIRWAYS, INC.  
Times Building, New York  
11 Passenger Fleet Coaches — 5 passenger, open and enclosed flying boats — Nightingale Trips — Flights to Shore and Lake Resorts

## OHIO

AEROMARINE AIRWAYS, INC.  
Daily Service to Detroit  
D & C INDIAN, HOUSE OF MARY QTH ST.  
CLEVELAND  
11 Passenger Flying Coaches

## OHIO

DAYTON, OHIO.  
Kaplan, Hatcher, Brown and Field's field from Dayton Field.  
JEROME AIRPLANE & REPT CO.

## PENNSYLVANIA

WILKESBARRE-POCONO AIRCRAFT CO.  
FLYING SCHOOL  
Mentor for First  
CLIFF E. WEIDENHEIMER

## SOUTH CAROLINA

See Charles Street  
If you are one of the thousands in your state having lost their licenses for passenger carrying, when training and special flights, you should be interested in WHERE TO FLY each week.  
26 Consecutive Insertions \$20.00

## LEARN TO FLY NOW!



FLYING is destined to become one of the foremost professions in the world. It is also destined to become one of the most profitable. But the rewards will go only to the men who get into aviation now—while the industry is yet young. These are the men who will get the good jobs, the important positions, the big salaries.

You can be one of these men. The first necessity is training. You must learn all about airplane structure, airplane engines, and aerodynamics. You must learn how to fly—how to be a pilot.

### WHERE TO LEARN

There is just one place where you can get the broadest knowledge of airplanes and the most thorough training in flying. That place is Dayton, Ohio—the birthplace of the airplane—the leading city in aviation progress.

In Dayton you will be taught mastery of the air on the great flying field of the Dayton Wright Company. You will learn flying under the supervision of expert and experienced teachers—men who have flown thousands upon thousands of miles and have actually how to teach you what they have learned. You will use the very latest types of training planes. You will learn flying by the modified Cessna system.

As a pupil of the Dayton Wright Company you will have the opportunity of visiting McCook Field—the Engineering Division of the Army Air Service. Here you may study at first hand the designing and building of many types of military aircraft.

As a pupil of the Dayton Wright Company you will learn more than flying. You will learn the principles of standard airplane design and many other things essential to real knowledge of commercial flying.

With Dayton Wright facilities and Dayton Wright methods of training you will gain in the shortest possible time that knowledge absolutely essential to your success in this great new profession of flying. The time to learn is now—when you can still get in on the ground floor.

### WHAT TO DO FIRST

You know that flying has a limitless future. You know that you can use with the industry—if you only have the necessary knowledge. You know that the sensible place to acquire this knowledge is at the Training School for Pilots conducted by the Dayton Wright Company—a training school located in the very center of airplane knowledge and progress.

Then the first thing for you to do is to write this company for full information regarding their Training School. You can make your future when you will by learning mastery of the air. Send now for full details. There is no charge—no obligation—no reason why you should delay a moment in sending for complete free information on the course of instruction offered by the Training School for Pilots.

## DAYTON WRIGHT COMPANY

DAYTON, OHIO, U. S. A.

"The birthplace of the airplane"





# THE Aircraft Service Directory

WHERE TO PROCURE EQUIPMENT AND SERVICES

## AIRCRAFT COMPASS

### PIONEER INSTRUMENT COMPANY

MAIN OFFICE AND FACTORY BROOKLYN, N. Y.  
 MANHATTAN, N. Y. PHOENIX, ARIZ. SAN FRANCISCO, CALIF.  
 NEW YORK BUILDING, 87 BROADWAY ST. NEW YORK, N. Y. 10002



WRITE FOR OUR  
SPECIAL PRICE LIST  
CANUCK, JN., AVRO  
AND OX-5 PARTS

### GRIGSON AIRCRAFT LIMITED

127 BUNG. ST., EAST TORONTO, CANADA

## FIVE-PASSENGER BREGUETS

BRASSIERE OR LIGHTLY ARMED  
 Landing Speed 50 Miles per Hour! High Speed 120. World's Last  
 1929 Type. Complete with fuel tanks, etc. 1000 Miles per Hour.  
 Call for New, Best 300 Miles, Durable, Continuous  
 Performance.

BEST PERFORMANCE EVER KNOWN  
 PRICE \$20,000.00  
 EXTRA MOTORS AND PARTS

W. A. TACKLE, BATHWOOD, ILL.



If you want

Aluminum Engines, metal or wooden parts, or complete  
 airplanes please, you will get prompt attention by writing

G. ELJAS & BRO., Aircraft Dept., Buffalo, N. Y.

## OTTO PRAEGER

Aircraft Consultant

392 Grand Central Terminal Building  
 New York City

## AVRO

With 120-hp. Chrysler engine, new condition. Can be  
 flown away from Missouri.

SHOW FOR QUICK SALE AT OWNER'S HOME ADDRESS  
 Box No. 235, Avonlea, c/o Cedar Field, Missouri

## If You Are in Need

of Airplane Parts and Sup-  
 plies at Rock Bottom Prices  
 Backed Up by Real Service

Write Box 234 c/o Avonlea

## HUGH C. ROBBINS — AVIATOR

Three years of Commercial Experience  
 Flying, Instructor at Fitch. Can do any complicated work.  
 Flying, Instructor at Fitch. Can do any complicated work.  
 Flying, Instructor at Fitch. Can do any complicated work.  
 Flying, Instructor at Fitch. Can do any complicated work.

P. O. Lock Box No. 2 — WILLIAMSBURG, OHIO

## THE PETREL

has covered the field of aviation service by its expert per-  
 formance, its economy of operation and its steady capability.

Write for details

HUFF DALAND AERO CORPORATION  
 2118 Commerce Bldg., Kansas City, Mo.

## For RELIABLE RESULTS and a SQUARE DEAL

USE  
**TITANINE**  
 DOPES CLEAR, POLISHED, VARNISH AND ENAMELS  
 FOR TRUCKS, BUSES, RAILROADS, ETC.

TITANINE Inc., Union, Union County, N. J.

## AVIATOR WANTED

with Flying Boat experience, for commercial enterprise.  
 Reliable. Give some particulars.

Write,

SWIFT AIRCRAFT CO., P. O. Box 35, Camden, N. J.

## CANUCK STANDARD

1500.00—WITH OX-55—\$400.00

Perfect flying order  
 World's greatest business  
 Small size, low price  
 Flying boat, low price

THREE ARE REAL BARGAINS  
 SWANLUND AIRCRAFT CORP., Jamestown, N. Y.



HAMILTON AERO MFG. CO.  
 MILWAUKEE, WIS.

## CHARLES H. DAY

Consulting Aeronautical Engineer

Plainfield, N. J.

# Just off the Press

THE FIRST ANNUAL EDITION OF

## Who's Who in American Aeronautics

It contains 1000 biographical sketches, numerous photographs  
 and a great deal of information of permanent reference  
 value not heretofore brought together.

### The table of contents includes

State and Municipal Aviation Commissions  
 Army Air Service  
 Navy Bureau of Aeronautics  
 Air Mail Service  
 National Advisory Committee for Aeronautics  
 Officers and Committees, Aero Club of America  
 Officers and Committees, Aero Club  
 Aeronautical Chamber of Commerce  
 Manufacturers Aircraft Association  
 Aircraft Underwriters' Association  
 American Aeronautic Safety Code  
 Advertising Section

This book of 130 pages is bound in stiff covers and should be in the desk of everyone in-  
 terested in American Aviation. It gives pen portraits of the leaders in this field and is indispensable  
 as a work of reference.

The biographies are authoritative having all been compiled from original material by Lester  
 D. Gardner, Publisher of AVIATION. It will aid anyone to become better acquainted with  
 those who are creating aeronautical history in the United States.

## One Dollar per Copy

THE GARDNER, MOFFAT CO., Inc.

225 4th AVE., NEW YORK.

To insure getting your  
 copies, order on the at-  
 tached coupon and mail  
 today as the first edition is  
 being rapidly exhausted.

GARDNER, MOFFAT CO., Inc.  
 225 4th Ave., New York.

Enclosed is \$ , for which mail copies  
 of Who's Who in American Aeronautics as per the  
 following address

NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_



## Building for the Future

America *needs* airplanes. It may not be thoroughly awake to the need as yet, any more than the people who rode in stage coaches were conscious that they needed railroad trains, or the crews of the old wooden three-deckers felt that they needed iron clads.

Europe, broke as it is, is making air-transportation pay and, more important still, is developing a steadily increasing number of landing fields and a constantly growing force of air men.

The Glenn L. Martin Company has the proud reputation of making the most reliable airplanes in America. Not content with this, it is steadily pushing forward in research, engineering, and intensive development work, in the ambition not only to make the best machines, but to make them in the best scientific way.

Corporations interested in commercial Aeronautics are invited to write --

**THE GLENN L. MARTIN COMPANY**

**CLEVELAND**